INDEX TO AUTHORS

A

ALFANO, ROBERT R. See SEIBERT and ALFANO, 269
AMIN, M. An approach to current-voltage characteristics of nerve membranes based on adsorption phenomena, 1
ANCKER-JOHNSON, BETSY. See COOPER, CHANG, YOUNG, MARTIN, and ANCKER-JOHNSON, 161
ANDERSON, JOHN L., and MALONE, DERMOT M. Mechanism of osmotic flow in porous membranes, 957
—, and QUINN, JOHN A. Restricted transport in small pores. Model for steric exclusion and hindered particle motion, 130
ANNINOS, PHOTIOS A., and ELUL, RAFAEL. Effect of structure on function in model nerve nets, 8
ARAM, JAMES P. See DIWAN and ARAM, 805

B

BAAN, JAN, SZIDON, JAN P., and NOORDERGRAAF, ABRAHAM. Dynamic local distensibility of living arteries and its relation to wave transmission, 343
BECK, JAMES S. See SAARI and BECK, 33
BERNE, BRUCE J., and NOSSAL, RALPH. Inelastic light scattering by large structured particles, 865
BIRD, J. F. Neural $1/f$ noise and membrane models, 563
BIRKEBAK, RICHARD C. See DAVIS and BIRKEBAK, 249
BOON, JEAN PIERRE, NOSSAL, RALPH, and CHEN, SOW-HSIN. Light-scattering spectrum due to wiggling motions of bacteria, 847
BOTTS, JEAN. See NIHEI, MENDELSON, and BOTTS, 236
BRENNER, BARRY M. See DEEN, ROBERTSON, and BRENNER, 412
BRENNER, STEPHEN L., and PARSEGIAN, V. ADRIAN. A physical method for deriving the electrostatic interaction between rod-like polyions at all mutual angles, 327
BRONK, B. V., DIENES, G. J., SCHINDLER, R., and GAUTSCHI, J. R. Kinetic cell-cycle analysis of a cultured mammalian cell population, 607
BRUNSTING, ALBERT, and MULLANEY, PAUL F. Differential light scattering from spherical mammalian cells, 439
BUHL, STEVEN N., and REGAN, JAMES D. Effect of caffeine on postreplication repair in human cells, 519
—, SETLOW, R. B., and REGAN, JAMES D. DNA Repair in *Potorous tridactylus*, 791
BURKE, CHARLES A. See DAM, BURKE, and GRIFFITH, 467
BURNS, V. W. Studies of the fluorophore sempervirene and its complexes with DNA, 189
BURTON, ROBERT M. See OCHS and BURTON, 473
BUTZ, EDWARD G., and COWAN, JACK D. Transient potentials in dendritic systems of arbitrary geometry, 661

C

CHALLICE, C. E., WILKENS, J. L., and CHOHAN, K. S. Electrical impulse conduction in pulmonary veins, 901
CHANG, DAVID B. See COOPER, CHANG, YOUNG, MARTIN, and ANCKER-JOHNSON, 161
CHANG, DONALD C. See HAZLEWOOD, CHANG, NICHOLS, and WOESSNER, 583
CHEN, SOW-HSIN. See BOON, NOSSAL, and CHEN, 847
CHOHAN, K. S. See CHALLICE, WILKENS, and CHOHAN 901
CHRISTENSEN, RALPH. See TOLUN, CHRISTENSEN, and POLLARD, 691
CLAUSEN, C. See VALDIOSERA, CLAUSEN, and EISENBERG, 295
COHEN, L. B. See ROSS, SALZBERG, COHEN, and DAVILA, 983
COHN, GERALD E., KEITH, A. D., and SNIPES, WALLACE. Spin label translational diffusion in solid tristearin, 178
—. See SNIPES, CUPP, COHN, and KEITH, 20
COLE, K. S. See FITZHUGH and COLE, 625
COOPER, ROBERT L., CHANG, DAVID B., YOUNG, ALLAN C., MARTIN, CARROLL J., and ANCKER-JOHNSON, BETSY. Restricted diffusion in biophysical systems. Experiment, 161
COWAN, JACK D. See BUTZ and COWAN, 661
CUPP, JAMES. See SNIPES, CUPP, COHN, and KEITH, 20

D

DAM, RUDY J., BURKE, CHARLES A., and GRIFFITH, O. HAYES. Photoelectron quantum yields of the amino acids, 467
—, KONGSLIE, K. F., and GRIFFITH, O. H. Photoelectron quantum yields of hemin, hemoglobin, and apohemoglobin. Possible applications to photoelectron microscopy of heme proteins in biologic membranes, 933
DAMADIAN, RAYMOND. See MINKOFF and DAMADIAN, 69
DAVILA, H. V. See ROSS, SALZBERG, COHEN, and DAVILA, 983

DAVIS, DONALD G., and RENKIN, EUGENE M. Fluid flow through small pores, 514
DAVIS, L. BERKLEY, JR., and BIRKEBAK, RICHARD C. On the transfer of energy in layers of fur, 249
DE WEERD-KASTELEIN, E. A. See PATERSON, LOHMAN, DE WEERD-KASTELEIN, and WESTERVELD, 454
DEEN, WILLIAM M., ROBERTSON, CHANNING R., and BRENNER, BARRY M. Concentration polarization in an ultrafiltering capillary, 412
DICAPRIO, R. A., FRENCH, A. S., and SANDERS, E. J. Dynamic properties of electrotonic coupling between cells of early *Xenopus* embryos, 387
DIENES, G. J. See BRONK, DIENES, SCHINDLER, and GAUTSCHI, 607
DIWAN, JOYCE JOHNSON, and ARAM, JAMES P. L-lysine uptake by rat liver mitochondria. Dependence on L-lysine concentration, pH, and induced K^+ flux, 805

E

EANES, E. D. See GOTTLIEB and EANES, 335
EISENBERG, R. S. See VALDIOSERA, CLAUSEN, and EISENBERG, 295
ELUL, RAFAEL. See ANNINOS and ELUL, 8
EVANS, E. A. Bending resistance and chemically induced moments in membrane bilayers, 923

F

FELDMAN, LANCE. See GUTTMAN, FELDMAN, and LECAR, 941
FINCH, EDWARD D., and HOMER, LOUIS D. Proton nuclear magnetic resonance relaxation measurements in frog muscle, 907
FITZHUGH, R., and COLE, K. S. Dielectric loss transients, 625
FORD, N. C. See GABLER, WESTHEAD, and FORD, 528
FOZZARD, HARRY A. See LEE and FOZZARD, 46
FRENCH, A. S. See DICAPRIO, FRENCH, and SANDERS, 387

G

GABLER, R., WESTHEAD, E. W., and FORD, N. C. Studies of ribosomal diffusion coefficients using laser light-scattering spectroscopy, 528
GAUTSCHI, J. R. See BRONK, DIENES, SCHINDLER, and GAUTSCHI, 607
GOLDSTEIN, STEVEN S., and RALL, WILFRID. Changes of action potential shape and velocity for changing core conductor geometry, 731
GOOD, PHILLIP I., and SMITH, JAMES R. Age distribution of human diploid fibroblasts, a stochastic model for in vitro aging, 811
GOTTLIEB, MELVIN H., and EANES, E. D. Coexistence of rigid crystalline and liquid crystalline phases in lecithin-water mixtures, 335
GRIFFITH, O. HAYES. See DAM, BURKE, and GRIFFITH, 467
GRIFFITH, O. HAYES. See DAM, KONGSLIE, and GRIFFITH, 933
GURLEY, LAWRENCE R. See WALTERS, GURLEY, and TOBEY, 99
GUTTMAN, RITA, FELDMAN, LANCE, and LECAR, HAROLD. Squid axon membrane response to white noise stimulation, 941

H

HARARY, HOWARD. See MCLAUGHLIN and HARARY, 200
HAZLEWOOD, CARLTON F., CHANG, DONALD C., NICHOLS, BUFORD L., and WOESSNER, DONALD E. Nuclear magnetic resonance transverse relaxation times of water protons in skeletal muscle, 583
HILLMAN, P. See MINKE, HOCHSTEIN, and HILLMAN, 490
HOCHSTEIN, S. See MINKE, HOCHSTEIN, and HILLMAN, 490
HOMER, LOUIS D. See FINCH and HOMER, 907
HOSEMANN, R. See PAPE, MENKE, WEICK, and HOSEMANN, 221
HUNTER, G. See RAUTH, TAMMEMAGI, and HUNTER, 209

J

JULIAN, F. J., SOLLINS, K. R., and SOLLINS, M. R. A model for the transient and steady-state mechanical behavior of contracting muscle, 546

K

KEITH, ALEC D. See COHN, KEITH, and SNIPES, 178
—. See SNIPES, CUPP, COHN, and KEITH, 20
KNOX, C. K. Cross-correlation functions for a neuronal model, 567
KONGSLIE, K. F. See DAM, KONGSLIE, and GRIFFITH, 933
KUBITSCHEK, H. E. Constancy of the ratio of DNA to cell volume in steady-state cultures of *Escherichia coli* B/r, 119

L

LAPIDUS, I. RICHARD, and SCHILLER, RALPH. A mathematical model for bacterial chemotaxis, 825
LATORRE, RAMON. See SACHS and LATORRE, 316
LECAR, HAROLD. See GUTTMAN, FELDMAN, and LECAR, 941
LEE, CHIN OK, and FOZZARD, HARRY A. Electrochemical properties of hydrated cation-selective glass membrane. Model of K^+ and Na^+ transport, 46
LOHMAN, P. H. M. See PATERSON, LOHMAN, DE WEERD-KASTELEIN, and WESTERVELD, 454
—. See PATERSON, LOHMAN, WESTERVELD, and SLUYTER, 835

M

McCann, Frances V. See Stibitz and McCann, 75

McIntosh, T. J., and Worthington, C. R. Direct determination of the lamellar structure of peripheral nerve myelin at low resolution (17 Å), 363

—. See Worthington and McIntosh, 703

McLaughlin, Stuart, and Harary, Howard. Phospholipid flip-flop and the distribution of surface charges in excitable membranes, 200

Malone, Dermot M. See Anderson and Malone, 957

Martin, Carroll J. See Cooper, Chang, Young, Martin, and Ancker-Johnson, 161

Mendelson, Robert A. See Nihei, Mendelson, and Botts, 236

Menke, W. See Pape, Menke, Weick, and Hosemann, 221

Minke, B., Hochstein, S., and Hillman, P. Derivation of a quantitative kinetic model for a visual pigment from observations of early receptor potential, 490

Minkoff, Lawrence, and Damadian, Raymond. Reply to letters on "Caloric catastrophe." Inadequacy of energy available from ATP for membrane transport, 69

Monoi, H. Nuclear magnetic resonance of tissue ^{23}Na. I. ^{23}Na signal and Na^+ activity in homogenate, 645

—. Nuclear magnetic resonance of tissue ^{23}Na. II. Theoretical line shape, 653

Moody, M. F. Structure determination of membranes in swollen lamellar systems, 697

Mullaney, Paul F. See Brunsting and Mullaney, 439

N

Nichols, Buford L. See Hazlewood, Chang, Nichols, and Woessner, 583

Nihei, T., Mendelson, Robert A., and Botts, Jean. Use of fluorescence polarization to observe changes in attitude of S-1 moieties in muscle fibers, 236

Noodergraaf, Abraham. See Baan, Szidon, and Noodergraaf, 343

Nossal, Ralph. See Berne and Nossal, 865

—. See Boon, Nossal, and Chen, 847

O

Ochs, Alfred L., and Burton, Robert M. Electrical response to vibration of a lipid bilayer membrane, 473

Oster, Gerald, and Zalusky, Ralph. Shape transformation of erythrocytes determined by light-scattering changes associated with relaxation of particle orientation, 124

P

Pape, E. H. X-ray small angle scattering. A new deconvolution method for evaluating electron density distributions from small angle scattering diagrams, 284

—, Menke, W., Weick, D., and Hosemann, R. Small angle X-ray scattering of thylakoid membranes of *Rhodopseudomonas spheroides* in aqueous suspensions, 221

Parsegian, V. Adrian. See Brenner and Parsegian, 327

Paterson, M. C., Lohman, P. H. M., De Weerd-Kastelein, E. A., and Westerveld, A. Photoreactivation and excision repair of ultraviolet radiation-injured DNA in primary embryonic chick cells, 454

—, Lohman, P. H. M., Westerveld, A., and Sluyter, M. L. DNA repair in human/embryonic chick heterokaryons. Ability of each species to aid the other in removal of ultraviolet-induced damage, 835

Pilwat, G. See Zimmermann, Pilwat, and Riemann, 881

Pollard, Ernest C. See Tolun, Christensen, and Pollard, 691

Q

Quinn, John A. See Anderson and Quinn, 130

R

Rall, Wilfrid. See Goldstein and Rall, 731

—. See Rinzel and Rall, 759

Rauth, A. M., Tammemagi, M., and Hunter, G. Nascent DNA synthesis in ultraviolet light-irradiated mouse, human, and Chinese hamster cells, 209

Regan, James D. See Buhl and Regan, 519

—. See Buhl, Setlow, and Regan, 791

Renkin, Eugene M. See Davis and Renkin, 514

Riemann, F. See Zimmermann, Pilwat, and Riemann, 881

Rinzel, John, and Rall, Wilfrid. Transient response in a dendritic neuron model for current injected at one branch, 759

Robertson, Channing R. See Deen, Robertson, and Brenner, 412

Ross, W. N., Salzberg, B. M., Cohen, L. B., and Davila, H. V. A large change in dye absorption during the action potential, 983

Rothen, Alexandre. Circadian activity of a nickel-coated glass slide used for carrying out immunologic reactions at a liquid-solid interface, 987

S

Saari, Jack T., and Beck, James S. Probability density function of the red cell membrane permeability coefficient, 33

SACHS, FRED, and LATORRE, RAMON. Cytoplasmic solvent structure of single barnacle muscle cells studied by electron spin resonance, 316
SALZBERG, B. M. See ROSS, SALZBERG, COHEN, and DAVILA, 983
SANDERS, E. J. See DICAPRIO, FRENCH, and SANDERS, 387
SCHAUF, C. L. Sodium currents in *Myxicola* axons. Nonexponential recovery from the inactive state, 151
SCHILLER, RALPH. See LAPIDUS and SCHILLER, 825
SCHINDLER, R. See BRONK, DIENES, SCHINDLER, and GAUTSCHI, 607
SEGAL, JOHN R. Reply to "Comments on electrical fluctuations associated with active transport," 513
SEIBERT, MICHAEL, and ALFANO, ROBERT R. Probing photosynthesis on a picosecond time scale. Evidence for Photosystem I and Photosystem II fluorescence in chloroplasts, 269
SETLOW, R. B. See BUHL, SETLOW, and REGAN, 791
SLUYTER, M. L. See PATERSON, LOHMAN, WESTERVELD, and SLUYTER, 835
SMITH, JAMES R. See GOOD and SMITH, 811
SNIPES, WALLACE, CUPP, JAMES, COHN, GERALD, and KEITH, ALEC. Electron spin resonance analysis of nitroxide spin label 2,2,6,6-tetramethylpiperidone-*N*-oxyl (Tempone) in single crystals of the reduced Tempone matrix, 20
—. See COHN, KEITH, and SNIPES, 178
SOLLINS, K. R. See JULIAN, SOLLINS, and SOLLINS, 546
SOLLINS, M. R. See JULIAN, SOLLINS, and SOLLINS, 546
STIBITZ, GEORGE R., and MCCANN, FRANCES V. Studies of impedance in cardiac tissue using sucrose gap and computer techniques. II. Circuit simulation of passive electrical properties and cell-to-cell transmission, 75
SZIDON, JAN P. See BAAN, SZIDON, and NOODERGRAAF, 343

T

TAMMEMAGI, M. See RAUTH, TAMMEMAGI, and HUNTER, 209
TARR, MERRILL, and TRANK, JOHN W. An assessment of the double sucrose-gap voltage clamp technique as applied to frog atrial muscle, 627
TOBEY, ROBERT A. See WALTERS, GURLEY, and TOBEY, 99
TOLUN, ASLIHAN, CHRISTENSEN, RALPH, and POLLARD, ERNEST C. Repair of radiation-induced strand breaks as related to the inducible inhibitor of postirradiation DNA degradation, 691
TRANK, JOHN, W. See TARR and TRANK, 627

V

VALDIOSERA, R., CLAUSEN, C., and EISENBERG, R. S. Measurement of the impedance of frog skeletal muscle fibers, 295

W

WALTERS, RONALD A., GURLEY, LAWRENCE R., and TOBEY, ROBERT A. Effects of caffeine on radiation-induced phenomena associated with cell-cycle traverse of mammalian cells, 99
WEICK, D. Note on the theory of X-ray diffraction by spherical shell structures, 233
—. See PAPE, MENKE, WEICK, and HOSEMANN, 221
WESTERVELD, A. See PATERSON, LOHMAN, DE WEERD-KASTELEIN, and WESTERVELD, 454
—. See PATERSON, LOHMAN, WESTERVELD, and SLUYTER, 835
WESTHEAD, E. W. See GABLER, WESTHEAD, and FORD, 528
WHITE, STEPHEN H. Comments on "Electrical breakdown of bimolecular lipid membranes as an electromechanical instability," 155
WILKENS, J. L. See CHALLICE, WILKENS, and CHOHAN, 901
WOESSNER, DONALD E. See HAZLEWOOD, CHANG, NICHOLS, and WOESSNER, 583
WORTHINGTON, C. R., and MCINTOSH, T. J. Direct determination of the lamellar structure of peripheral nerve myelin at moderate resolution (7 Å), 703
—. See MCINTOSH and WORTHINGTON, 363
WRIGHT, A. KENT. Ellipsoid models for rotational diffusion of rhodopsin in a digitonin micelle and in visual receptor membrane, 243

Y

YOUNG, ALLAN C. See COOPER, CHANG, YOUNG, MARTIN, and ANCKER-JOHNSON, 161

Z

ZALUSKY, RALPH. See OSTER and ZALUSKY, 124
ZIMMERMANN, U., PILWAT, G., and RIEMANN, F. Dielectric breakdown of cell membranes, 881

INDEX TO SUBJECTS

A

Acid, deoxyribonucleic, constancy of ratio to cell volume in steady-state cultures of *Escherichia coli* B/r, 119
—, deoxyribonucleic, degradation, postirradiation, repair of radiation-induced strand breaks as related to inducible inhibitor, 691
—, deoxyribonucleic, nascent synthesis in ultraviolet light-irradiated mouse, human, and Chinese hamster cells, 209
—, deoxyribonucleic, repair in human/embryonic chick heterokaryons, ability of each species to aid the other in removal ultraviolet-induced damage, 835
—, deoxyribonucleic, repair in *Potorous tridactylus*, 791
—, deoxyribonucleic, ultraviolet radiation-injured, photoreactivation and excision repair in primary embryonic chick cells, 454
—, deoxyribonucleic, with complexes of the fluorophore sempervirene, studies, 189
Acids, amino, photoelectron quantum yields, 467
Action potential, changes of shape and velocity for changing core conductor geometry, 731
— potential, a large change in dye absorption, 983
Active transport, electrical fluctuations associated, reply to comments, 513
Adenosine triphosphate, inadequacy of energy available for membrane transport, reply to letters on Caloric catastrophe, 69
Adsorption phenomena, an approach to current-voltage characteristics of nerve membranes based on, 1
Age distribution of human diploid fibroblasts, a stochastic model for in vitro aging, 811
Aging, in vitro, a stochastic model, age distribution of human diploid fibroblasts, 811
Amino acids, photoelectron quantum yields, 467
Apohemoglobin, hemoglobin, and hemin, photoelectron quantum yields, possible applications to photoelectron microscopy of heme proteins in biological membranes, 933
Arteries, living, dynamic local distensibility and its relation to wave transmission, 343
Atrial muscle, frog, assessment of double sucrose-gap voltage clamp technique, 627
Axon, squid, membrane response to white noise stimulation, 941
Axons, *Myxicola*, sodium currents, nonexponential recovery from the inactive state, 151

B

Bacteria, light-scattering spectrum due to wiggling motions, 847
Bacterial chemotaxis, mathematical model, 825
Barnacle muscle cells, single, cytoplasmic solvent structure studied by electron spin resonance, 316
Bending resistance and chemically induced moments in membrane bilayers, 923
Bilayer membrane, lipid, electrical response to vibration, 473
Bilayers, membrane, bending resistance and chemically induced moments, 923
Biophysical systems, restricted diffusion, experiment, 161

Blood cell, red. See Erythrocyte.

C

Caffeine, effect on postreplication repair in human cells, 519
—, effects on radiation-induced phenomena associated with cell-cycle traverse of mammalian cells, 99
Caloric catastrophe, reply to letters, inadequacy of energy available from ATP for membrane transport, 69
Capillary, ultrafiltering, concentration polarization, 412
Cardiac tissue, studies of impedance using sucrose gap and computer techniques, circuit simulation of passive electrical properties and cell-to-cell transmission, 75
Cation-selective glass membrane, hydrated, electrochemical properties, model of K^+ and Na^+ transport, 46
Cell membranes, dielectric breakdown, 881
— population, mammalian, cultured, kinetic cell-cycle analysis, 607
—, red blood. See Erythrocyte.
— volume, constancy of ratio to DNA in steady-state cultures of *Escherichia coli* B/r, 119
Cell-cycle analysis, kinetic, of a cultured mammalian cell population, 607
— traverse of mammalian cells, effects of caffeine on radiation-induced phenomena, 99
Cells, chick, primary embryonic, photoreactivation and excision repair of ultraviolet radiation-injured DNA, 454
—, human, effect of caffeine on postreplication repair, 519

Cells, mammalian, cell-cycle traverse, effects of caffeine on radiation-induced phenomena, 99
—, mammalian, spherical, differential light scattering, 439
—, muscle, single barnacle, cytoplasmic solvent structure studied by electron spin resonance, 316
— of early *Xenopus* embryos, dynamic properties of electrotonic coupling, 387
—, ultraviolet light-irradiated mouse, human, and Chinese hamster, nascent DNA synthesis, 209
Cell-to-cell transmission and circuit simulation of passive electrical properties, studies of impedance in cardiac tissue using sucrose gap and computer techniques, 75
Chemotaxis, bacterial, mathematical model, 825
Chick cells, primary embryonic, photoreactivation and excision repair of ultraviolet radiation-injured DNA, 454
—, embryonic, -human heterokaryons, DNA repair, ability of each species to aid the other in removal of ultraviolet-induced damage, 835
Chloroplasts, evidence for Photosystem I and Photosystem II fluorescence, probing photosynthesis on a picosecond time scale, 269
Circadian activity of a nickel-coated glass slide used for carrying out immunologic reactions at a liquid-solid interface, 987
Concentration polarization in an ultrafiltering capillary, 412
Conduction, electrical impulse, in pulmonary veins, 901
Core conductor geometry, changing, changes of action potential shape and velocity, 731
Coupling, electrotonic, between cells of early *Xenopus* embryos, dynamic properties, 387
Cross-correlation functions for a neuronal model, 567
Crystalline phases, rigid and liquid, coexistence in lecithin-water mixtures, 335
Current-voltage characteristics of nerve membranes based on adsorption phenomena, an approach, 1
Cytoplasmic solvent structure of single barnacle muscle cells studied by electron spin resonance, 316

D

Deconvolution method, new, for evaluating electron density distributions from X-ray small angle scattering diagrams, 284
Dendritic neuron model, transient response for current injected at one branch, 759
— systems of arbitrary geometry, transient potentials, 661
Deoxyribonucleic acid, constancy of ratio to cell volume in steady-state cultures of *Escherichia coli* B/r, 119
— acid degradation, postirradiation, repair of radiation-induced strand breaks as related to the inducible inhibitor, 691
— acid repair in human/embryonic chick heterokaryons, ability of each species to aid the other in removal of ultraviolet-induced damage, 835
Deoxyribonucleic acid repair in *Potorous tridactylus*, 791
— acid synthesis, nascent, in ultraviolet light-irradiated mouse, human, and Chinese hamster cells, 209
— acid, ultraviolet radiation-injured, photoreactivation and excision repair in primary embryonic chick cells, 454
— acid with complexes of the fluorophore sempervirene, studies, 189
Dielectric breakdown of cell membranes, 881
— loss transients, 625
Diffusion coefficients, ribosomal, studies using laser light-scattering spectroscopy, 528
—, restricted, in biophysical systems, experiment, 161
—, rotational, of rhodopsin in a digitonin micelle and in visual receptor membrane, ellipsoid models, 243
—, spin label translational, in solid tristearin, 178
Digitonin micelle and visual receptor membrane, ellipsoid models for rotational diffusion of rhodopsin, 243
Distensibility, dynamic local, of living arteries and its relation to wave transmission, 343
Dye absorption, a large change during the action potential, 983

E

Early receptor potential, derivation of a quantitative model for a visual pigment from observations, 490
Electrical breakdown of bimolecular lipid membranes as an electromechanical instability, comments, 155
— fluctuations associated with active transport, reply to comments, 513
— impulse conduction in pulmonary veins, 901
— properties, passive, circuit simulation and cell-to-cell transmission, studies of impedance in cardiac tissue using sucrose gap and computer techniques, 75
— response to vibration of a lipid bilayer membrane, 473
Electromechanical instability and electrical breakdown of bimolecular lipid membranes, comments, 155
Electron density distributions, new deconvolution method for evaluating from X-ray small angle scattering diagrams, 284
—, photo-, microscopy of heme proteins in biological membranes, possible applications of quantum yields of heme, hemoglobin, and apohemoglobin, 933
—, photo-, quantum yields of the amino acids, 467
—, photo-, quantum yields of hemin, hemoglobin, and apohemoglobin, possible applications to microscopy of heme proteins in biological membranes, 933

Electron spin resonance analysis of nitroxide spin label 2,2,6,6-tetramethylpiperidone-*N*-oxyl (Tempone) in single crystals of the reduced Tempone matrix, 20
— spin resonance, cytoplasmic solvent structure of single barnacle muscle cells studied, 316
Electrostatic interaction between rod-like polyions at all mutual angles, physical method, 327
Electrotonic coupling between cells of early *Xenopus* embryos, dynamic properties, 387
Embryonic chick cells, primary, photoreactivation and excision repair of ultraviolet radiation-injured DNA, 454
— chick/human heterokaryons, DNA repair, ability of each species to aid the other in removal of ultraviolet-induced damage, 835
Embryos, early *Xenopus*, dynamic properties of electrotonic coupling between cells, 387
Energy available from ATP, inadequacy for membrane transport, reply to letters on Caloric catastrophe, 69
— transfer in layers of fur, 249
Erythrocyte membrane permeability coefficient, probability density function, 33
Erythrocytes, shape transformation determined by light-scattering changes associated with relaxation of particle orientation, 124
Escherichia coli B/r, steady-state cultures, constancy of ratio of DNA to cell volume, 119
Excision repair of ultraviolet radiation-injured DNA, and photoreactivation in primary embryonic chick cells, 454

F

Fibroblasts, human diploid, age distribution, a stochastic model for in vitro aging, 811
Flow, fluid, through small pores, 514
Fluctuations, electrical, associated with active transport, reply to comments, 513
Fluid flow through small pores, 514
Fluorescence, Photosystem I and Photosystem II, evidence in chloroplasts, probing photosynthesis on a picosecond time scale, 269
— polarization, use in observing changes in attitude of S-1 moieties in muscle fibers, 236
Fluorophore sempervirene and its complexes with DNA, studies, 189
Frog atrial muscle, assessment of double sucrose-gap voltage clamp technique, 627
— muscle, proton nuclear magnetic resonance relaxation measurements, 907
— skeletal muscle fibers, measurement of impedance, 295
Fur layers, transfer of energy, 249

G

Glass membrane, hydrated cation-selective, electrochemical properties, model of K^+ and Na^+ transport, 46
Glass slide, nickel-coated, used for carrying out immunologic reactions at a liquid-solid interface, circadian activity, 987

H

Hemin, hemoglobin, and apohemoglobin, photoelectron quantum yields, possible applications to photoelectron microscopy of heme proteins in biological membranes, 933
Hemoglobin, hemin, and apohemoglobin, photoelectron quantum yields, possible applications to photoelectron microscopy of heme proteins in biological membranes, 933
Heterokaryons, human/embryonic chick, DNA repair, ability of each species to aid the other in removal of ultraviolet-induced damage, 835
Human cells, effect of caffeine on postreplication repair, 519
— diploid fibroblasts, age distribution, a stochastic model for in vitro aging, 811
—/embryonic chick heterokaryons, DNA repair, ability of each species to aid the other in removal of ultraviolet-induced damage, 835

I

Impedance in cardiac tissue, studies using sucrose gap and computer techniques, circuit simulation of passive electrical properties and cell-to-cell transmission, 75
— of frog skeletal muscle fibers, measurement, 295
Inactive state, nonexponential recovery, sodium currents in *Myxicola* axons, 151
Inducible inhibitor of postirradiation DNA degradation, as related to repair of radiation-induced strand breaks, 691
Interaction, electrostatic, between rod-like polyions at all mutual angles, physical method, 327
Ion, potassium, and Na^+ transport model, electrochemical properties of hydrated cation-selective glass membrane, 46
—, sodium, activity and ^{23}Na signal in homogenate, nuclear magnetic resonance of tissue ^{23}Na, 645
—, sodium, and K^+ transport model, electrochemical properties of hydrated cation-selective glass membrane, 46

K

Kinetic cell-cycle analysis of a cultured mammalian cell population, 607
— model, quantitative, derivation for a visual pigment from observations of early receptor potential, 490

L

Lamellar structure of peripheral nerve myelin at low resolution (17 Å), direct determination, 363

Lamellar structure of peripheral nerve myelin at moderate resolution (7 Å), direct determination, 703
— systems, swollen, structure determination of membranes, 697
Laser light-scattering spectroscopy, studies of ribosomal diffusion coefficients, 528
Lecithin-water mixtures, coexistence of rigid crystalline and liquid crystalline phases, 335
Letters to the Editor, 155, 243, 513, 514, 563, 625, 697
Light scattering, differential, from spherical mammalian cells, 439
—, inelastic, by large structured particles, 865
Light-scattering changes associated with relaxation of particle orientation, shape transformation of erythrocytes, 124
— spectroscopy, laser, studies of ribosomal diffusion coefficients, 528
— spectrum due to wiggling motions of bacteria, 847
Lipid bilayer membrane, electrical response to vibration, 473
— membranes, bimolecular, electrical breakdown as an electromechanical instability, comments, 155
Liquid-solid interface immunologic reactions, circadian activity of a nickel-coated glass slide, 987
Liver, rat, mitochondria, L-lysine uptake, dependence on L-lysine concentration, pH, and induced K^+ flux, 805
Lysine, L-, uptake by rat liver mitochondria, dependence on concentration, pH, and induced K^+ flux, 805

M

Magnetic resonance, nuclear, of tissue ^{23}Na. I. ^{23}Na signal and Na^+ activity in homogenate, 645
— resonance, nuclear, of tissue ^{23}Na. II. Theoretical line shape, 653
— resonance, nuclear, proton, relaxation measurements in frog muscle, 907
— resonance, nuclear, transverse relaxation times of water protons in skeletal muscle, 583
Mammalian cell population, cultured, kinetic cell-cycle analysis, 607
— cells, cell-cycle traverse, effects of caffeine on radiation-induced phenomena, 99
— cells, spherical, differential light scattering, 439
Mechanical behavior, transient and steady-state, of contracting muscle, model, 546
—, electro-, instability and electrical breakdown of bimolecular lipid membranes, comments, 155
Mechanism of osmotic flow in porous membranes, 957
Membrane bilayers, bending resistance and chemically induced moments, 923
—, hydrated cation-selective glass, electrochemical properties, model of K^+ and Na^+ transport 46
—, lipid bilayer, electrical response to vibration, 473
— models, and neural $1/f$ noise, 563
Membrane, red cell, permeability coefficient, probability density function, 33
—, squid axon, response to white noise stimulation, 941
— transport, inadequacy of energy available from ATP, reply to letters on Caloric catastrophe, 69
—, visual receptor, and a digitonin micelle, ellipsoid models for rotational diffusion of rhodopsin, 243
Membranes, bimolecular lipid, electrical breakdown as an electromechanical instability, comments, 155
—, biological, photoelectron microscopy of heme proteins, possible applications of photoelectron quantum yields of hemin, hemoglobin, and apohemoglobin, 933
—, cell, dielectric breakdown, 881
—, excitable, phospholipid flip-flop and distribution of surface charges, 200
—, nerve, an approach to current-voltage characteristics based on adsorption phenomena, 1
—, porous, mechanism of osmotic flow, 957
—, structure determination in swollen lamellar systems, 697
—, thylakoid, of *Rhodopseudomonas spheroides* in aqueous suspensions, small angle X-ray scattering, 221
Micelle, digitonin, and visual receptor membrane, ellipsoid models for rotational diffusion of rhodopsin, 243
Microscopy, photoelectron, of heme proteins in biological membranes, possible applications of photoelectron quantum yields of hemin, hemoglobin, and apohemoglobin, 933
Mitochondria, rat liver, L-lysine uptake, dependence on L-lysine concentration, pH, and induced K^+ flux, 805
Model, dendritic neuron, transient response for current injected at one branch, 759
— for steric exclusion and hindered particle motion, restricted transport in small pores, 130
—, for the transient and steady-state mechanical behavior of contracting muscle, 546
—, mathematical for bacterial chemotaxis, 825
— nerve nets, effect of structure on function, 8
—, neuronal, cross-correlation functions, 567
— of K^+ and Na^+ transport, electrochemical properties of hydrated cation-selective glass membrane, 46
—, quantitative kinetic, derivation for a visual pigment from observations of early receptor potential, 490
—, stochastic, for in vitro aging, age distribution of human diploid fibroblasts 811
Models, ellipsoid, for rotational diffusion of rhodopsin in a digitonin micelle and in visual receptor membrane, 243
—, membrane, and neural $1/f$ noise, 563
Moments, chemically induced, and bending resistance in membrane bilayers, 923
Motions, wiggling, of bacteria, light-scattering spectrum, 847

Muscle cells, single barnacle, cytoplasmic solvent structure studied by electron spin resonance, 316
—, contracting, model for the transient and steady-state mechanical behavior, 546
— fibers, frog skeletal, measurement of impedance, 295
— fibers, use of fluorescence polarization to observe changes in attitude of S-1 moieties, 236
—, frog atrial, assessment of double sucrose-gap voltage clamp technique, 627
—, frog, proton nuclear magnetic resonance relaxation measurements, 907
—, skeletal, nuclear magnetic resonance transverse relaxation times of water protons, 583
Myelin, peripheral nerve, direct determination of the lamellar structure at moderate resolution (7 Å), 703
—, peripheral nerve, lamellar structure, direct determination at low resolution (17 Å), 363
Myxicola axons, sodium currents, nonexponential recovery from the inactive state, 151

N

Nerve membranes, an approach to current-voltage characteristics based on adsorption phenomena, 1
— myelin, peripheral, direct determination of the lamellar structure at moderate resolution (7 Å), 703
— myelin, peripheral, lamellar structure, direct determination at low resolution (17 Å), 363
— nets, model, effect of structure on function, 8
Neural $1/f$ noise and membrane models, 563
Neuron model, dendritic, transient response for current injected at one branch, 759
Neuronal model, cross-correlation functions, 567
Noise, neural $1/f$, and membrane models, 563
—, white, stimulation, response of squid axon membrane, 941
Nuclear magnetic resonance of tissue ^{23}Na. I. ^{23}Na signal and Na^+ activity in homogenate, 645
— magnetic resonance of tissue ^{23}Na. II. Theoretical line shape, 653
— magnetic resonance, proton, relaxation measurements in frog muscle, 907
— magnetic resonance transverse relaxation times of water protons in skeletal muscle, 583
Nucleic acid, deoxyribo-, constancy of ratio to cell volume in steady-state cultures of *Escherichia coli* B/r, 119
— acid, deoxyribo-, degradation, postirradiation, repair of radiation-induced strand breaks as related to the inducible inhibitor, 691
— acid, deoxyribo-, nascent synthesis in ultraviolet light-irradiated mouse, human, and Chinese hamster cells, 209
— acid, deoxyribo-, repair in human/embryonic chick heterokaryons, ability of each species to aid the other in removal of ultraviolet-induced damage, 835
Nucleic acid, deoxyribo-, repair in *Potorous tridactylus*, 791
— acid, deoxyribo-, with complexes of the fluorophore sempervirene, studies, 189
—acid, deoxyribo-, ultraviolet radiation-injured, in primary embryonic chick cells, photoreactivation and excision repair, 454

O

Osmotic flow, mechanism in porous membranes, 957

P

Particle motion, hindered, and steric exclusion, model, restricted transport in small pores, 130
— orientation, light-scattering changes associated with relaxation, shape transformation of erythrocytes, 124
Particles, large structured, inelastic light scattering, 865
Permeability coefficient, red cell membrane, probability density function, 33
Phases, rigid crystalline and liquid crystalline, coexistence in lecithin-water mixtures, 335
Phosphate, adenosine tri-, inadequacy of energy available for membrane transport, reply to letters on Caloric catastrophe, 69
Phospholipid flip-flop and distribution of surface charges in excitable membranes, 200
Photoelectron microscopy of heme proteins in biological membranes, possible applications of quantum yields of hemin, hemoglobin, and apohemoglobin, 933
— quantum yields of the amino acids, 467
— quantum yields of hemin, hemoglobin, and apohemoglobin, possible applications to microscopy of heme proteins in biological membranes, 933
Photoreactivation and excision repair of ultraviolet radiation-injured DNA in primary embryonic chick cells, 454
Photosynthesis, probing on a picosecond time scale, evidence for Photosystem I and Photosystem II fluorescence in chloroplasts, 269
Pigment, visual, derivation of a quantitative kinetic model from observations of early receptor potential, 490
Polarization, concentration, in an ultrafiltering capillary, 412
—, fluorescence, use in observing changes in attitude of S-1 moieties in muscle fibers, 236
Polyions, rod-like, physical method for deriving the electrostatic interaction at all mutual angles, 327
Pores, small, fluid flow, 514
—, small, restricted transport, model for steric exclusion and hindered particle motion, 130
Porous membranes, mechanism of osmotic flow, 957
Postreplication repair in human cells, effect of caffeine, 519

Potassium ion and Na^+ transport model, electrochemical properties of hydrated cation-selective glass membrane, 46
Potential, action, changes of shape and velocity for changing core conductor geometry, 731
—, early receptor, derivation of a quantitative kinetic model for a visual pigment from observations, 490
—, action, a large change in dye absorption, 983
Potentials, transient, in dendritic systems of arbitrary geometry, 661
Potorous tridactylus, DNA repair, 791
Probability density function of the red cell membrane permeability coefficient, 33
Properties, dynamic, of electrotonic coupling between cells of early *Xenopus* embryos, 387
Proteins, heme, in biological membranes, photoelectron microscopy, possible applications of photoelectron quantum yields of hemin, hemoglobin, and apohemoglobin, 933
Proton nuclear magnetic resonance relaxation measurements in frog muscle, 907
Protons, water, in skeletal muscle, nuclear magnetic resonance transverse relaxation times, 583
Pulmonary veins, electrical impulse conduction, 901

R

Radiation-induced phenomena associated with cell-cycle traverse of mammalian cells, effects of caffeine, 99
— strand breaks, repair as related to inducible inhibitor of postirradiation DNA degradation, 691
Radiation-injured, ultraviolet, DNA, photoreactivation and excision repair in primary embryonic chick cells, 454
Rat liver mitochondria, L-lysine uptake, dependence on L-lysine concentration, pH and induced K^+ flux, 805
Receptor potential, early, derivation of a quantitative kinetic model for a visual pigment from observations, 490
Red blood cell. See Erythrocyte.
Repair, DNA, in human/embryonic chick heterokaryons, ability of each species to aid the other in removal of ultraviolet-induced damage, 835
—, DNA, in *Potorous tridactylus*, 791
—, postreplication, in human cells, effect of caffeine, 519
Research Communications, 69, 151, 691, 805, 901 983, 987
Resolution, low (17 Å), direct determination of lamellar structure of peripheral nerve myelin, 363
—, moderate (7 Å), direct determination of the lamellar structure of peripheral nerve myelin, 703
Resonance, electron spin, analysis of nitroxide spin label 2,2,6,6-tetramethylpiperidone-*N*-oxyl (Tempone) in single crystals of the reduced Tempone matrix, 20
—, electron spin, cytoplasmic solvent structure of single barnacle muscle cells studied, 316
Resonance, nuclear magnetic, of tissue ^{23}Na. I. ^{23}Na signal and Na^+ activity in homogenate, 645
—, nuclear magnetic, of tissue ^{23}Na. II. Theoretical line shape, 653
—, nuclear magnetic, proton, relaxation measurements in frog muscle, 907
—, nuclear magnetic, transverse relaxation times of water protons in skeletal muscle, 583
Rhodopseudomonas spheroides in aqueous suspensions, small angle X-ray scattering of thylakoid membranes, 221
Rhodopsin, ellipsoid models for rotational diffusion in a digitonin micelle and in visual receptor membrane, 243
Ribonucleic acid, deoxy-, constancy of ratio to cell volume in steady-state cultures of *Escherichia coli* B/r, 119
— acid, deoxy-, degradation, postirradiation, repair of radiation-induced strand breaks as related to the inducible inhibitor, 691
— acid, deoxy-, nascent synthesis in ultraviolet light-irradiated mouse, human, and Chinese hamster cells, 209
— acid, deoxy-, repair in human/embryonic chick heterokaryons, ability of each species to aid the other in removal of ultraviolet-induced damage, 835
— acid, deoxy-, repair in *Potorous tridactylus*, 791
— acid, deoxy-, ultraviolet radiation-injured, photoreactivation and excision repair in primary embryonic chick cells, 454
— acid, deoxy-, with complexes of the fluorophore sempervirene, studies, 189
Ribosomal diffusion coefficients, studies using laser light-scattering spectroscopy, 528
Roentgen ray diffraction by spherical shell structures, note on the theory, 233
— ray small angle scattering, new deconvolution method for evaluating electron density distributions from small angle scattering diagrams, 284
— ray small angle scattering of thylakoid membranes of *Rhodopseudomonas spheroides* in aqueous suspensions, 221

S

Sempervirene, fluorophore, and its complexes with DNA, studies, 189
Shape transformation of erythrocytes determined by light-scattering changes associated with relaxation of particle orientation, 124
Skeletal muscle fibers, frog, measurement of impedance, 295
Sodium currents in *Myxicola* axons, nonexponential recovery from the inactive state, 151
— ion activity and ^{23}Na signal in homogenate, nuclear magnetic resonance of tissue ^{23}Na, 645
— ion and K^+ transport model, electrochemical properties of hydrated cation-selective glass membrane, 46
— signal and Na^+ activity in homogenate, nuclear magnetic resonance of tissue ^{23}Na, 645

Sodium, tissue, nuclear magnetic resonance. I. ^{23}Na signal and Na^+ activity in homogenate, 645
—, tissue, nuclear magnetic resonance. II. Theoretical line shape, 653
Solid-liquid interface immunologic reactions, circadian activity of a nickel-coated glass slide, 987
S-1 moieties in muscle fibers, use of fluorescence polarization to observe changes in attitude, 236
Spectroscopy, light-scattering, laser, studies of ribosomal diffusion coefficients, 528
Spherical shell structures, note on the theory of X-ray diffraction, 233
Spin label, nitroxide, 2,2,6,6-tetramethylpiperidone-*N*-oxyl (Tempone) in single crystals of the reduced Tempone matrix, electron spin resonance analysis, 20
— label translational diffusion in solid tristearin, 178
— resonance, electron, cytoplasmic solvent structure of single barnacle muscle cells studied, 316
Squid axon membrane response to white noise stimulation, 941
Steady-state and transient mechanical behavior of contracting muscle, model, 546
— cultures of *Escherichia coli* B/r, constancy of ratio of DNA to cell volume, 119
Steric exclusion and hindered particle motion, model, restricted transport in small pores, 130
Strand breaks, radiation-induced, repair as related to inducible inhibitor of postirradiation DNA degradation, 691
Sucrose gap and computer techniques, studies of impedance in cardiac tissue, circuit simulation of passive electrical properties and cell-to-cell transmission, 75
— gap, double, voltage clamp technique as applied to frog atrial muscle, an assessment, 627
Surface charges, distribution, and phospholipid flip-flop in excitable membranes, 200

T

Tempone, nitroxide spin label 2,2,6,6-tetramethylpiperidone-*N*-oxyl in single crystals of the reduced Tempone matrix, electron spin resonance analysis, 20
Theoretical line shape, nuclear magnetic resonance of tissue ^{23}Na, 653
Time scale, picosecond, probing photosynthesis, evidence for Photosystem I and Photosystem II fluorescence in chloroplasts, 269
Tissue, cardiac, studies of impedance using sucrose gap and computer techniques, circuit simulation of passive electrical properties and cell-to-cell transmission, 75
— ^{23}Na, nuclear magnetic resonance. I. ^{23}Na signal and Na^+ activity in homogenate, 645
— ^{23}Na, nuclear magnetic resonance. II. Theoretical line shape, 653
Transient and steady-state mechanical behavior of contracting muscle, model, 546
— potentials in dendritic systems of arbitrary geometry, 661
— response in a dendritic neuron model for current injected at one branch, 759
Transients, dielectric loss, 625
Transport, active, electrical fluctuations associated, reply to comments, 513
Triphosphate, adenosine, inadequacy of energy available for membrane transport, reply to letters on Caloric catastrophe, 69
Tristearin, solid, spin label translational diffusion, 178

U

Ultrafiltering capillary, concentration polarization, 412
Ultraviolet light-irradiated mouse, human, and Chinese hamster cells, nascent DNA synthesis, 209
— radiation-injured DNA, photoreactivation and excision repair in primary embryonic chick cells, 454
Ultraviolet-induced damage, ability of each species to aid the other in removal, DNA repair in human/embryonic chick heterokaryons, 835

V

Veins, pulmonary, electrical impulse conduction, 901
Vibration, electrical response in lipid bilayer membrane, 473
Visual pigment, derivation of a quantitative kinetic model from observations of early receptor potential, 490
— receptor membrane and a digitonin micelle, ellipsoid models for rotational diffusion of rhodopsin, 243
Voltage clamp technique, double sucrose-gap, as applied to frog atrial muscle, an assessment, 627
—, current-, characteristics of nerve membranes based on adsorption phenomena, an approach, 1

W

Water protons in skeletal muscle, nuclear magnetic resonance transverse relaxation times, 583
Water-lecithin mixtures, coexistence of rigid crystalline and liquid crystalline phases, 335
Wave transmission, relation of dynamic local distensibility of living arteries, 343

X

Xenopus embryos, early, dynamic properties of electrotonic coupling between cells, 387
X-ray. See Roentgen ray.

Statement of Ownership, Management, and Circulation required by Act of 12 August 1970; Section 3685, Title 39, United States Code: Biophysical Journal. Published monthly by The Rockefeller University Press, at 1230 York Avenue, New York 10021 for the Biophysical Society, Washington, D. C. 20007. Editor, Frederick A. Dodge, The Rockefeller University, New York 10021. Owned by the Biophysical Society, Washington, D. C. 20007, nonprofit organization authorized to mail at special rates. Following statistics represent 12 month average and number nearest to date of filing: copies printed for each issue, 2254; sales through dealers, street vendors, counter sales, 0; mail subscriptions, 1947; total paid circulation, 1901; free subscriptions, 46; office use, left-over, unaccounted for, spoiled, 307; net press run, 2254. Single issue nearest filing date, October 1974. (Signed, W. A. Bayless, Director, The Rockefeller University Press)